

1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: HORSEPOWER® Selective Herbicide
EPA Reg. No.: 228-313
Synonyms: Mixture of MCPA, Triclopyr and Dicamba
Product Type: Herbicide

Company Name: Nufarm Americas Inc.
 11901 S. Austin Avenue
 Alsip, IL 60803

Telephone Numbers: For Chemical Emergency, Spill, Leak, Fire, Exposure, or Accident,
 Call CHEMTREC Day or Night: 1-800-424-9300
 For Medical Emergencies Only, Call 1-877-325-1840

Date of Issue: September 6, 2013 **Supersedes:** May 26, 2010
Sections Revised: 1

2. HAZARDS IDENTIFICATION

Emergency Overview:

Appearance and Odor: Amber colored liquid with amine odor.
Warning Statements: Keep out of reach of children. DANGER. Corrosive, causes irreversible eye damage. Harmful if swallowed or absorbed through skin. Do not get in eyes, on skin or on clothing. Avoid contact with eyes, skin or clothing.

Potential Health Effects:

Likely Routes of Exposure: Inhalation, skin and eye contact.
Eye Contact: Causes irreversible eye damage. Vapors and mist can cause irritation.
Skin Contact: Minimally irritating. Overexposure by skin absorption may cause symptoms similar to those for ingestion.
Ingestion: Harmful if swallowed. May cause nausea, vomiting, abdominal pain, decreased blood pressure, muscle weakness, muscle spasms.
Inhalation: Minimally irritating. May irritate the respiratory tract or cause dizziness.
Medical Conditions Aggravated by Exposure: Inhalation of product may aggravate existing chronic respiratory problems such as asthma, emphysema or bronchitis. Skin contact may aggravate existing skin disease.

See Section 11: TOXICOLOGICAL INFORMATION for more information.

Potential Environmental Effects:

This product may be toxic to fish, aquatic invertebrates and aquatic plants. Drift and runoff may be hazardous to aquatic organisms in water adjacent to treated areas. This product chemical has properties and characteristics associated with chemicals detected in ground water.

See Section 12: ECOLOGICAL INFORMATION for more information.

3. COMPOSITION / INFORMATION ON INGREDIENTS

COMPONENT	CAS NO.	% BY WEIGHT
Dimethylamine Salt of 2-Methyl-4-Chlorophenoxyacetic Acid	2039-46-5	48.99
Triethylamine Salt of 3,5,6-Trichloro-2-Pyridinyloxyacetic Acid	57213-69-1	5.59
Dimethylamine Salt of Dicamba (3,6-Dichloro-o-Anisic Acid)	2300-66-5	4.82
Other Ingredients		40.60



4. FIRST AID MEASURES

If in Eyes: Hold eye open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If Swallowed: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.

If on Skin or Clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice. Do not give anything by mouth to an unconscious person.

If Inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Note to Physician: This product is corrosive to the eyes. Probable mucosal damage may contraindicate the use of gastric lavage.

5. FIRE FIGHTING MEASURES

Flash Point: Not applicable due to aqueous formulation

Autoignition Temperature: Not determined

Flammability Limits: Not determined

Extinguishing Media: Recommended for large fires: foam or water spray. Recommended for small fires: dry chemical or carbon dioxide.

Special Fire Fighting Procedures: Firefighters should wear NIOSH/MSHA approved self-contained breathing apparatus and full fire-fighting turn out gear. Dike area to prevent runoff and contamination of water sources. Dispose of fire control water later.

Unusual Fire and Explosion Hazards: If water is used to fight fire or cool containers, dike to prevent runoff contamination of municipal sewers and waterways.

Hazardous Decomposition Materials (Under Fire Conditions): May produce gases such as hydrogen chloride and oxides of carbon and nitrogen.

National Fire Protection Association (NFPA) Hazard Rating:

Rating for this product: Health: 3 Flammability: 1 Reactivity: 0

Hazards Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions: Wear appropriate protective gear for the situation. See Personal Protection information in Section 8.

Environmental Precautions: Prevent material from entering public sewer systems or any waterways. Do not flush to drain. Large spills to soil or similar surfaces may necessitate removal of topsoil. The affected area should be removed and placed in an appropriate container for disposal.

Methods for Containment: Dike spill using absorbent or impervious materials such as earth, sand or clay. Collect and contain contaminated absorbent and dike material for disposal.

Methods for Clean-Up and Disposal: Pump any free liquid into an appropriate closed container. Collect washings for disposal. Decontaminate tools and equipment following cleanup. See Section 13: DISPOSAL CONSIDERATIONS for more information.

Other Information: Large spills may be reportable to the National Response Center (800-424-8802) and to state and/or local agencies.

7. HANDLING AND STORAGE

Handling:

Do not get in eyes, on skin or on clothing. Avoid contact with eyes, skin or clothing. Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/Personal Protective Equipment (PPE) immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Storage:

Always store pesticides in a secured warehouse or storage building. Store at temperatures above 32°F. If allowed to freeze, remix before using. This does not alter this product. Containers should be opened in well-ventilated areas. Keep container tightly sealed with not in use. Do not stack cardboard cases more than two pallets high. Do not store near open containers of fertilizer, seed or other pesticides. Do not contaminate water, food or feed by storage or disposal.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls:

Where engineering controls are indicated by specific use conditions or a potential for excessive exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment:

Eye/Face Protection: To avoid contact with eyes, wear face shield or goggles. An emergency eyewash or water supply should be readily accessible to the work area.

Skin Protection: To avoid contact with skin, wear long pants, long-sleeved shirt, socks, shoes and chemical-resistant gloves made of any waterproof material. For overhead exposure, wear chemical-resistant headgear. An emergency shower or water supply should be readily accessible to the work area.

Respiratory Protection: Not normally required. If vapors or mists exceed acceptable levels, wear NIOSH approved air-purifying respirator with cartridges/canisters approved for use against pesticides.

General Hygiene Considerations: Personal hygiene is an important work practice exposure control measure and the following general measures should be taken when working with or handling this material: 1) do not store, use and/or consume foods, beverages, tobacco products, or cosmetics in areas where this material is stored; 2) wash hands and face carefully before eating, drinking, using tobacco, applying cosmetics or using the toilet.

Exposure Guidelines:

Component	OSHA		ACGIH		Unit
	TWA	STEL	TWA	STEL	
DMA Salt MCPA	NE	NE	NE	NE	
TEA Salt of Triclopyr	NE	NE	NE	NE	
DMA Salt of Dicamba	NE	NE	NE	NE	

NE = Not Established

7. HANDLING AND STORAGE

Herbicide Do not get herbicide on skin or on clothing. Avoid contact with eyes, nose or mouth. Wash hands with soap and water after use. Do not use herbicide in enclosed spaces. Do not use herbicide in confined spaces. Do not use herbicide in poorly ventilated areas. Do not use herbicide in areas where people are present. Do not use herbicide in areas where children are present. Do not use herbicide in areas where pets are present. Do not use herbicide in areas where livestock are present. Do not use herbicide in areas where wildlife are present. Do not use herbicide in areas where birds are present. Do not use herbicide in areas where bees are present. Do not use herbicide in areas where other beneficial insects are present. Do not use herbicide in areas where aquatic life are present. Do not use herbicide in areas where plants are present. Do not use herbicide in areas where animals are present. Do not use herbicide in areas where humans are present. Do not use herbicide in areas where children are present. Do not use herbicide in areas where pets are present. Do not use herbicide in areas where livestock are present. Do not use herbicide in areas where wildlife are present. Do not use herbicide in areas where birds are present. Do not use herbicide in areas where bees are present. Do not use herbicide in areas where other beneficial insects are present. Do not use herbicide in areas where aquatic life are present. Do not use herbicide in areas where plants are present. Do not use herbicide in areas where animals are present. Do not use herbicide in areas where humans are present.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering Controls Where engineering controls are indicated by specific use conditions or a potential for exposure, use local exhaust ventilation at the point of generation.

Personal Protective Equipment Eye Face Protection To avoid contact with eyes, wear eye shields or safety goggles. An emergency eyewash station and safety shower should be readily available to the work area.

Hand Protection To avoid contact with skin, wear long-sleeved, long-pa... gloves and chemical-resistant gloves lined with an absorbent material for overhead exposure. Wear a nitrile-resistant glove. An emergency shower or water supply should be readily access to the work area.

Respiratory Protection The employer should determine if workers are likely to breathe hazardous concentrations of dusts or vapors from the product. If so, workers should use appropriate respiratory protection. For more information, see the following general respiratory protection guidelines: workers should wear a respirator when working with or handling the material. Do not store, use, or dispose of containers, or other products in containers in which there was previously a flammable, toxic, or otherwise hazardous atmosphere. Do not use containers or equipment which have been used for other purposes.

Exposure Guidelines

Component	OSHA		ACGIH	
	TWA	STEL	TWA	STEL
DMB (0.1% PA)	MF	MF	MF	MF
DMB Salt of Sodium	MF	MF	MF	MF
DMB Salt of Potassium	MF	MF	MF	MF

MF = Not Established

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance and Odor: Amber colored liquid with amine odor.

Boiling Point: Not determined

Solubility in Water: Soluble

Density: 9.58 pounds/gallon

Specific Gravity: 1.150 @ 20°C

Evaporation Rate: Not determined

Vapor Density: Not determined

Freezing Point: 32°F (0°C)

Vapor Pressure: Not determined

pH: 6.5 – 8.5

Viscosity: 29.0 cps @ 25°C

Note: Physical data are typical values, but may vary from sample to sample. A typical value should not be construed as a guaranteed analysis or as a specification.

10. STABILITY AND REACTIVITY

Chemical Stability: This material is stable under normal handling and storage conditions.

Conditions to Avoid: Excessive heat. Do not store near heat or flame.

Incompatible Materials: Strong oxidizing agents: bases and acids.

Hazardous Decomposition Products: Under fire conditions may produce gases such as hydrogen chloride and oxides of carbon and nitrogen.

Hazardous Reactions: Hazardous polymerization will not occur.

11. TOXICOLOGICAL INFORMATION**Toxicological Data:**

Data from laboratory studies on this product are summarized below:

Oral: Rat LD₅₀: 1,207 mg/kg

Dermal: Rabbit LD₅₀: >2,700 mg/kg

Inhalation: Rabbit: 4-hr LC₅₀: >2.2 mg/L

Eye Irritation: Rabbit: Severely Irritating/Corrosive

Skin Irritation: Rabbit: Slightly irritating

Skin Sensitization: Not a contact sensitizer in guinea pigs following repeated skin exposure.

Subchronic (Target Organ) Effects: Repeated overexposure to phenoxy herbicides may cause effects to liver, kidneys, blood chemistry, and gross motor function. Rare cases of peripheral nerve damage have been reported, but extensive animal studies have failed to substantiate these observations, even at high doses for prolonged periods. Excessive exposure to Triclopyr may cause liver or kidney effects. Repeated overexposure to dicamba may cause liver changes or a decrease in body weight.

Carcinogenicity / Chronic Health Effects: The International Agency for Research on Cancer (IARC) lists exposure to chlorophenoxy herbicides as a class 2B carcinogen, the category for limited evidence for carcinogenicity in humans. However, newer rat and mouse lifetime feeding studies did not show carcinogenic potential for MCPA. Triclopyr did not cause cancer in laboratory studies. Dicamba did not cause cancer in long-term animals studies. The U.S. EPA has given triclopyr and dicamba a Class D classification (not classifiable as to human carcinogenicity).

Reproductive Toxicity: MCPA studies in laboratory animals have shown testicular effects and lower male fertility. For triclopyr, in laboratory animal studies, effects on reproduction have been seen only at doses that produced significant toxicity to the parent animals. Dicamba did not interfere with fertility in reproduction studies in laboratory animals.

Developmental Toxicity: MCPA studies in laboratory animals have shown decreased fetal body weights and delayed development in the offspring at doses toxic to mother animals. For triclopyr, birth defects are unlikely. Even exposures having an adverse effect on the mother should have no effect on the fetus. Animal tests with dicamba have not demonstrated developmental effects.

Genotoxicity: There have been some positive and some negative studies, but the weight of evidence is that MCPA is not mutagenic. Animal tests with triclopyr and dicamba did not demonstrate mutagenic effects.

Assessment Carcinogenicity:

This product contains substances that are considered to be probable or suspected human carcinogens as follows:

Component	Regulatory Agency Listing As Carcinogen			
	ACGIH	IARC	NTP	OSHA
Chlorophenoxy Herbicides	No	2B	No	No

See Section 2: HAZARDS IDENTIFICATION for more information.

12. ECOLOGICAL INFORMATION

Ecotoxicity:

Data on MCPA DMA:

96-hour LC ₅₀ Bluegill:	>310 mg/l	Bobwhite Quail Oral LD ₅₀ :	390 mg/kg
96-hour LC ₅₀ Rainbow Trout:	230 mg/l	Mallard Duck 8-day Dietary LC ₅₀ :	>5,620 mg/l
48-hour EC ₅₀ Daphnia:	190 mg/l		

Data on Triclopyr TEA:

96-hour LC ₅₀ Bluegill:	893 mg/l	Bobwhite Quail 8-day Dietary LC ₅₀ :	>10,000 mg/l
96-hour LC ₅₀ Rainbow Trout:	613 mg/l	Mallard Duck Oral LD ₅₀ :	2,055 mg/kg
48 hour EC ₅₀ Daphnia:	947 mg/l	Mallard Duck 8-day Dietary LC ₅₀ :	>10,000 mg/l

Data on Dicamba:

96-hour LC ₅₀ Bluegill:	135 mg/l	Bobwhite Quail 8-day Dietary LC ₅₀ :	>10,000 mg/l
96-hour LC ₅₀ Rainbow Trout:	135 mg/l	Mallard Duck 8-day Dietary LC ₅₀ :	>10,000 mg/l
48-hour EC ₅₀ Daphnia:	110 mg/l		

Environmental Fate:

MCPA DMA rapidly dissociates to parent MCPA in the environment. In soil, MCPA is microbially degraded with a typical half-life of approximately 10 to 14 days. In laboratory and field studies, Triclopyr TEA rapidly dissociates to parent acid in the environment. Triclopyr is moderately persistent and mobile. In soil, the predominant degradation pathway is microbial and the average half-life is 30 days. Half-lives tend to be shorter in warm, moist soils with a high organic content. The predominant degradation pathway for triclopyr in water is photodegradation and the average half-life is one day. Dicamba poorly binds to soil particles, is potentially mobile in the soil and highly soluble in water. Aerobic soil metabolism is the main degradative process for dicamba with a typical half-life of 2 weeks. Degradation is slower when low soil moisture limits microbe populations. In water, microbial degradation is the main route of dicamba dissipation. Aquatic hydrolysis, volatilization, adsorption to sediments, and bioconcentration are not expected to be significant.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method:

Pesticide wastes are acutely hazardous. If container is damaged or if pesticide has leaked, contain all spillage. Absorb and clean up all spilled material with granules or sand. Place in a closed labeled container for proper disposal. Improper disposal of excess pesticide, spray mixtures, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container Handling and Disposal:

Nonrefillable Containers 5 Gallons or Less: Nonrefillable container. Do not reuse or refill this container. Triple rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow

begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities. Plastic containers are also disposable by incineration, or, if allowed by State and local authorities, by burning. If burned stay out of smoke.

Nonrefillable containers larger than 5 gallons: Nonrefillable container. Do not reuse or refill this container. Offer for recycling if available. Triple rinse or pressure rinse container (or equivalent) promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank. Fill the container 1/4 full with water. Replace and tighten closures. Tip container on its side and roll it back and forth, ensuring at least one complete revolution, for 30 seconds. Stand the container on its end and tip it back and forth several times. Turn the container over onto its other end and tip it back and forth several times. Empty the rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Repeat this procedure two more times. Pressure rinse as follows: Empty the remaining contents into application equipment or a mix tank and continue to drain for 10 seconds after the flow begins to drip. Hold container upside down over application equipment or mix tank or collect rinsate for later use or disposal. Insert pressure rinsing nozzle in the side of the container, and rinse at about 40 psi for at least 30 seconds. Drain for 10 seconds after the flow begins to drip.

OR

Refillable containers larger than 5 gallons: Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the container before final disposal, empty the remaining contents from this container into application equipment or a mix tank. Fill the container about 10% full with water and, if possible, spray all sides while adding water. Agitate vigorously or recirculate water with the pump for two minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

14. TRANSPORTATION INFORMATION

Follow the precautions indicated in Section 7: HANDLING AND STORAGE of this MSDS.

DOT

< 2,322 gallons per complete package

Non Regulated

≥ 2,322 gallons per complete package

UN 3082, Environmentally hazardous substance, liquid, n.o.s.,(Dicamba), 9, III, RQ

IMDG

Non-regulated

IATA

Non Regulated

15. REGULATORY INFORMATION

U.S. Federal Regulations:

TSCA Inventory: This product is exempted from TSCA because it is solely for FIFRA regulated use.

SARA Hazard Notification/Reporting:

Hazard Categories Under Criteria of SARA Title III Rules (40 CFR Part 370):

Immediate and Delayed

Section 313 Toxic Chemical(s):

Dicamba (CAS No. 1918-00-9) - 4.0% equivalent by weight in product
Triclopyr, Trimethylammonium Salt (CAS No. 57213-69-1) - 5.59% by weight in product

Reportable Quantity (RQ) under U.S. CERCLA:

Dicamba (CAS No. 1918-00-9) - 1,000 pounds

RCRA Waste Code:

None Listed

State Information:

Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not Listed

16. OTHER INFORMATION

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and others handling large quantities of the product in activities generally other than product use, while the labeling provides that information specifically for product use in the ordinary course.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautionary, use, storage, and disposal information is set forth on that labeling. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "Information") are presented in good faith and believed to be correct as of the date hereof, Nufarm Americas Inc. makes no representations as to the completeness or accuracy thereof. Information is supplied upon the condition that the persons receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Nufarm Americas Inc. be responsible for damages of any nature whatsoever resulting from the use of or reliance upon Information. NO REPRESENTATIONS OR WARRANTIES, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION REFERS.

Horsepower is a registered trademark of Nufarm Americas Inc.

Section 313 Toxic Chemical(s):
Oxymeth (CAS No. 1818-00-9) - 4.0% equivalent by weight in product
Thiofen (Methyldithiocarbamate) (CAS No. 62712-58-1) - 2.55% by weight in product

Reportable Quantity (RQ) under U.S. CERCLA:
Oxymeth (CAS No. 1818-00-9) - 1,000 pounds

RCRA Waste Code:
None Listed

State Information:
Other state regulations may apply. Check individual state requirements.

California Proposition 65: Not Listed

18. OTHER INFORMATION

This Material Safety Data Sheet (MSDS) serves different purposes than and DOES NOT REPLACE OR MODIFY THE EPA-ACCEPTED PRODUCT LABELING (attached to and accompanying the product container). This MSDS provides important health, safety and environmental information for employers, employees, emergency responders and other handling large quantities of the product in scientific or industrial settings. While the MSDS provides the information specifically for product use in the country of origin, it is not intended to be used in any other country.

Use, storage and disposal of pesticide products are regulated by the EPA under the authority of the Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) through the product labeling, and all necessary and appropriate precautions, use, storage, and disposal information is set forth on that label. It is a violation of Federal law to use a pesticide product in any manner not prescribed on the EPA-accepted label.

Although the information and recommendations set forth herein (hereinafter "information") are presented in good faith and believed to be correct as of the date herein, Hulsman Americas Inc. makes no representation as to the completeness or accuracy thereof. Information is supplied upon the condition that the person receiving same will make their own determination as to its suitability for their purposes prior to use. In no event will Hulsman Americas Inc. be responsible for damages of any nature whatsoever, resulting from the use of or reliance upon information. NO REPRESENTATION OR WARRANTY, EITHER EXPRESS OR IMPLIED, OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR OF ANY OTHER NATURE ARE MADE HEREUNDER WITH RESPECT TO INFORMATION OR THE PRODUCT TO WHICH INFORMATION RELATES.

Horsepower is a registered trademark of Hulsman Americas Inc.