

Turf Fertilizer + 0.37% Prodiamine (18-0-3)

Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016

1. Product and Company Identification

Product Code:

902784

Product Name:

Turf Fertilizer + 0.37% Prodiamine (18-0-3)

Company Name:

Turf Care Supply Corp.

50 Pearl Road

Suite 200

Brunswick, OH 44212

Web site address: Email address:

www.turfcaresupply.com regaffairs@tcscusa.com

Emergency Contact:

PERS

1 (800)633-8253

Information:

Turf Care Supply Corp.

1 (330)558-0910

Phone Number:

1 (330)558-0910

Synonyms:

Fertilizer with Pre-Emergent Herbicide.

2. Hazards Identification

Skin Corrosion/Irritation, Category 2

Serious Eye Damage/Eye Irritation, Category 1

Germ Cell Mutagenicity, Category 2 **Toxic To Reproduction, Category 1B**

Specific Target Organ Toxicity (single exposure), Category 1

Specific Target Organ Toxicity (repeated exposure), Category 1

Aquatic Toxicity (Acute), Category 3 Aquatic Toxicity (Chronic), Category 3





GHS Signal Word:

Danger

GHS Hazard Phrases:

Causes skin irritation.

Causes serious eye damage.

Suspected of causing genetic defects. May damage fertility or the unborn child .

Causes damage to organs

Causes damage to organs through prolonged or repeated exposure.

Harmful to aquatic life.

Harmful to aquatic life with long lasting effects.

GHS Precaution Phrases:

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Do not breathe dust.

Wash hands thoroughly after handling.

Do not eat, drink or smoke when using this product. Use personal protective equipment as required.

GHS Response Phrases:

IF ON SKIN: Wash with plenty of soap and water.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

IF exposed: Call a POISON CENTER or doctor/physician. IF exposed or concerned: Get medical attention/advice.

Get medical attention/advice if you feel unwell. If skin irritation occurs, get medical advice/attention. Take off contaminated clothing and wash before re-use.

GHS Storage and Disposal

Store in a secure location.

Phrases:

Dispose of contents/container to an appropriate disposal facility.



Page:

Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016

Potential Health Effects (Acute and Chronic):

Chronic: Prolonged or repeated skin contact may cause dermatitis. Prolonged or

repeated exposure may cause permanent eye damage. Chronic exposure may cause

lung damage. Effects may be delayed.

Inhalation: May be harmful if inhaled. Low hazard for normal industrial handling. The toxicological

properties of this substance have not been fully investigated. May cause systemic effects. Material may be irritating to mucous membranes and upper respiratory tract.

Skin Contact: May cause skin irritation. Dust causes mechanical irritation. Low hazard for usual

industrial handling.

Eye Contact: May cause eye irritation. Dust may cause mechanical irritation.

Ingestion: May be harmful if swallowed. May cause gastrointestinal irritation with nausea, vomiting

and diarrhea. Low hazard for normal industrial handling. The toxicological properties of

this substance have not been fully investigated. May cause systemic effects.

3. Composition/Information on Ingredients

CAS#	Hazardous Components (Chemical Name)	Concentration	
1317-65-3	Limestone	52.0 %	
57-13-6	Urea	39.1 %	
7447-40-7	Potassium chloride	4.77 %	
14808-60-7	Quartz	1.73 %	
64742-65-0	Mineral Oil	0.400 %	
29091-21-2	Prodiamine	0.380 %	

4. First Aid Measures

Emergency and First Aid

Procedures:

In Case of Inhalation: Remove from exposure and move to fresh air immediately. If not breathing, give artificial

respiration. If breathing is difficult, give oxygen. Get medical aid.

In Case of Skin Contact: Get medical aid if irritation develops or persists. In case of contact, flush skin with plenty

of water. Remove contaminated clothing and shoes. Get medical aid if irritation develops

and persists. Wash clothing before reuse. Wash off with soap and plenty of water.

In Case of Eye Contact: Flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and

lower eyelids. Do NOT allow victim to rub eyes or keep eyes closed.

In Case of Ingestion: If victim is conscious and alert, give 2-4 cupfuls of milk or water. Call a poison control

. It is a second of the second

center. If swallowed, do not induce vomiting unless directed to do so by medical

personnel. Never give anything by mouth to an unconscious person.

Signs and Symptoms Of

Exposure:

To the best of our knowledge, the chemical, physical, and toxicological properties have

not been thoroughly investigated.

Note to Physician: Treat symptomatically and supportively.



Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016

5. Fire Fighting Measures

Flash Pt:

No data.

Explosive Limits:

LEL: No data.

UEL: No data.

Autoignition Pt:

No data.

Suitable Extinguishing Media:For small fires, use dry chemical, carbon dioxide, or water spray. For large fires, use dry

chemical, carbon dioxide, alcohol-resistant foam, or water spray.

Fire Fighting Instructions:

As in any fire, wear a self-contained breathing apparatus in pressure-demand, MSHA/NIOSH (approved or equivalent), and full protective gear. Substance is noncombustible. Decomposes at high temperatures, resulting in toxic and corrosive

products. Runoff from fire control or dilution water may cause pollution.

Flammable Properties and

Hazards:

Most of the components of this product are non-combustible. However, a portion of them may support combustion at elevated temperatures.

Hazardous Combustion

Products:

Thermal decomposition may result in the production of ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus,

potassium, sulfur, and chlorine, and oxides of alkaline earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other toxic and irritating fumes and gases.

6. Accidental Release Measures

Steps To Be Taken In Case Material Is Released Or Spilled:

Use proper personal protective equipment as indicated in Section 8.

Spills/Leaks: Vacuum or sweep up material and place into a suitable disposal container. Avoid generating dusty conditions. Provide ventilation. Avoid runoff into storm sewers and ditches which lead to waterways. Do not let this product enter the environment except as directed on product label. Clean up spills immediately, observing precautions in the Protective Equipment section.

Personal precautions.

Use personal protective equipment. Avoid dust formation. Avoid breathing dust. Ensure adequate ventilation.

Environmental precautions. Do not let product enter drains.

Pick up and arrange disposal without creating dust. Keep in suitable, closed containers for disposal.

PROCEDURES & PERSONAL PRECAUTIONS.

Exercise appropriate precautions to minimize direct contact with skin or eyes and prevent inhalation of dust.

Methods for cleaning up.

Sweep up, place in a bag and hold for waste disposal. Avoid raising dust. Ventilate area and wash spill site after material pickup is complete.

7. Handling and Storage

Precautions To Be Taken in Handling:

Use with adequate ventilation. Minimize dust generation and accumulation. Avoid contact with eyes, skin, and clothing. Avoid ingestion and inhalation. Wash thoroughly after handling. Use only in a well-ventilated area. Keep container tightly closed. Wash clothing before reuse.

Provide appropriate exhaust ventilation at places where dust is formed.



Page: 4

Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016

Precautions To Be Taken in Store in a cool, dry place. Keep container closed when not in use. Storing:

CAS#	Partial Chemical	Name	OSHA TWA	ACGIH TWA	Other Limits	
1317-65-3	Limestone		PEL: 15 (dust); 5 (resp.)	No data.	No data.	
57-13-6	Urea		No data.	No data.	No data.	
7447-40-7	Potassium chloride	e nillinger semples	No data.	No data.	No data.	
14808-60-7	Quartz		PEL: 50 ug/m3	TLV: 0.05 mg/m3 (R)	No data.	
64742-65-0	Mineral Oil		No data.	TWA: 5 mg/m3	No data.	
29091-21-2	Prodiamine		No data.	No data.	No data.	
Respiratory (Specify Typ		requirements or E conditions warran desired, use type	uropean Standard EN 14 t respirator use. Where p N95 (US) or type P1 (EN	s OSHA's 29 CFR 1910.1 9 must be followed whence rotection from nuisance le 143) dust masks. For hig 2 (EU EN 143) respirator	ever workplace vels of dusts are her level protectio	
Eye Protection:		Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.				
Protective G	Sloves:	Wear appropriate	protective gloves to prev	ent skin exposure. Wash	and dry hands.	
Other Protective Clothing:		Wear appropriate protective clothing to prevent skin exposure. Choose body protection according to the amount and concentration of the dangerous substance at the work place.				
Engineering Controls (Ventilation etc.):		Facilities storing or utilizing this material should be equipped with an eyewash facility as a safety shower. Use adequate ventilation to keep airborne concentrations low. Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits.				
-		a safety shower. adequate genera	Use adequate ventilation I or local exhaust ventilati	to keep airborne concentr	rations low. Use	
(Ventilation Work/Hygie		a safety shower. adequate genera permissible expos Handle in accorda	Use adequate ventilation I or local exhaust ventilation sure limits. ance with good industrial	to keep airborne concentr	rations low. Use entrations below the	
(Ventilation Work/Hygie	etc.):	a safety shower. adequate genera permissible export Handle in accorda before breaks an	Use adequate ventilation I or local exhaust ventilation sure limits. ance with good industrial	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
(Ventilation Work/Hygie	etc.): nic/Maintenance	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica	Use adequate ventilation I or local exhaust ventilation sure limits. ance with good industrial d at the end of workday. N	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
(Ventilation Work/Hygie Practices: Physical St	etc.): nic/Maintenance ates:	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic pe	Use adequate ventilation or local exhaust ventilations are limits. ance with good industrial dat the end of workday. Very land Chemical Particular in a company of the com	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
Work/Hygie Practices: Physical St Appearance	etc.): nic/Maintenance ates: and Odor:	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic per No data.	Use adequate ventilation or local exhaust ventilations or local ex	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
Work/Hygie Practices: Physical Sta Appearance pH: Melting Poi	etc.): nic/Maintenance ates: and Odor:	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic per No data. ~ 133 C	Use adequate ventilation or local exhaust ventilations or local ex	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
Work/Hygie Practices: Physical St Appearance pH: Melting Poil	etc.): nic/Maintenance ates: and Odor:	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic pe No data. ~ 133 C No data.	Use adequate ventilation or local exhaust ventilations or local ex	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
Work/Hygie Practices: Physical Sta Appearance pH: Melting Poil Boiling Poil	etc.): nic/Maintenance ates: e and Odor: nt: nt:	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic pe No data. ~ 133 C No data. No data.	Use adequate ventilation or local exhaust ventilations or local ex	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
Work/Hygie Practices: Physical St. Appearance pH: Melting Poil Boiling Poil Flash Pt: Evaporation	etc.): nic/Maintenance ates: and Odor: nt: nt:	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic pe No data. ~ 133 C No data. No data. No data.	Use adequate ventilation or local exhaust ventilations are limits. ance with good industrial dat the end of workday. Very land Chemical Particular [X] Solid anular solid. Sticide solvent odor.	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the	
Work/Hygie Practices: Physical Sta Appearance pH: Melting Poil Boiling Poil Flash Pt: Evaporation	etc.): nic/Maintenance ates: e and Odor: nt: nt: n Rate: cy (solid, gas):	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic per No data. ~ 133 C No data. No data. No data. No data available	Use adequate ventilation or local exhaust ventilation or local exhaust ventilations are limits. I ance with good industrial of at the end of workday. Very land Chemical Particulation of the control of	to keep airborne concentron to	rations low. Use entrations below the	
Work/Hygie Practices: Physical St. Appearance pH: Melting Poil Boiling Poil Flash Pt: Evaporation Flammabilit Explosive L	etc.): nic/Maintenance ates: and Odor: nt: nt: n Rate: ny (solid, gas): .imits:	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic per No data. ~ 133 C No data. No data. No data. No data available LEL: No data.	Use adequate ventilation or local exhaust ventilation or local exhaust ventilations are limits. I ance with good industrial of at the end of workday. Very land Chemical Particulation of the control of	to keep airborne concentron to keep airborne concentron to keep airborne concentron to keep and safety practic Vash thoroughly after har	rations low. Use entrations below the ce. Wash hands	
Work/Hygie Practices: Physical Stance Appearance PH: Melting Poir Boiling Poir Flash Pt: Evaporation Flammabilit Explosive L	etc.): nic/Maintenance ates: e and Odor: nt: nt: n Rate: cy (solid, gas):	a safety shower. adequate genera permissible expos Handle in accord before breaks and 9. Physica [] Gas [] L Multi-colored, gra Characteristic per No data. ~ 133 C No data. No data. No data. No data available	Use adequate ventilation or local exhaust ventilation or local exhaust ventilations are limits. I ance with good industrial of at the end of workday. Very land Chemical Particulation of the control of	to keep airborne concentron to	rations low. Use entrations below the ce. Wash hands	



Turf Fertilizer + 0.37% Prodiamine (18-0-3)

Page: 5

Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016

Specific Gravity (Water = 1): No data.

Solubility in Water:

~ 1,080 g/L at 20.0 C

Solubility Notes:

The solubility value cited is for the urea component of this product, if present. See

section 3.

Octanol/Water Partition

No data

Coefficient:

Autoignition Pt:

No data.

Decomposition Temperature: ~ 135 C Viscosity:

No data.

Additional Physical

The melting point and decomposition temperatures cited are for the urea component of

Information

this product, if present. See section 3.

Urea decomposes before boiling. (UNEP Publication, OECD SIDS UREA, CAS No:

57-13-6)

10. Stability and Reactivity

Stability:

Unstable []

Stable [X]

Conditions To Avoid -

Incompatible materials, dust generation, heating to decomposition. High temperatures.

Instability:

Incompatibility - Materials To Strong oxidizing agents, bases, acids, aluminum.

Avoid:

Byproducts:

Hazardous Decomposition or The decomposition of fertilizer products may result in the generation of some or all of the following: ammonia, formaldehyde, biuret, chlorine, cyanic acid, and cyanide, and oxides of carbon, nitrogen, phosphorus, potassium, sulfur, and chlorine, and oxides of alkaline

earth metals, and certain heavier metals used as nutrients in fertilizer products, such as copper, iron, manganese, and zinc, and other irritating and toxic fumes and gases.

Possibility of Hazardous

Reactions:

Will occur [] Will not occur [X]

Conditions To Avoid -

Hazardous Reactions:

No data available.

11. Toxicological Information

Toxicological Information:

Epidemiology: No information found.

Teratogenicity: Teratogenic effects have occurred in experimental animals.

Neurotoxic effects have occurred in experimental animals.

Reproductive toxicity - no data available.

Inhalation: May cause damage to organs through prolonged or repeated exposure.

CAS# 57-13-6: Urea:

Other Studies:, TCLo, Inhalation, Rat, 288.0 MG/M3, 17 W; Gigiena Truda i Professional'nye Zabolevaniya.(Labor Hygiene and Occupational Disease), V/O Mezhdunarodnaya Kniga, Moscow 113095 Russia, Vol/p/yr: 30(3),43, 1986

Acute toxicity, LD50, Oral, Rat, 8471. MG/KG; Gigiena i Sanitariya, Mezhdunarodnaya Kniga, ul. B. Yakimanka, 39, 113095, Moscow 113095 Russia, Vol/p/yr: 51(6),8, 1986

Standard Draize Test, Skin, Human, 22.00 MG, 3 D; Cutaneous Toxicity, Proceedings of the 3rd Conference, 1976, D, V.A., and P. L, New York, Academic Press, Inc., London United Kingdom, Vol/p/yr: -,127, 1977

CAS# 7447-40-7: Potassium chloride:



Page

Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016

Acute toxicity, LD50, Oral, Rat, 2600. MG/KG; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Standard Draize Test, Eyes, Species: Rabbit, 500.0 MG, 24 H; "Sbornik Vysledku Toxixologickeho Vysetreni Latek A Pripravku,", Institut Pro Vychovu Vedoucicn P, Marhold, J.V., Institut Pro Vychovu Vedoucicn, Pracovniku Chemickeho, Prumyclu Praha Czechoslovakia, Vol/p/yr: -,8, 1972

Carcinogenicity/Other Information:

This material may contain small amounts of respirable crystalline and amorphous silica. The International Agency for Cancer Research (IARC) has classified crystalline silica as a carcinogen to humans (Group 1), and amorphous silica as not classifiable as to its carcinogenicity to humans (Group 3). See "Silica, Some Silicates, Coal dust and para-Aramid Fibrils in IARC Monographs on the Evaluation of Carcinogenic Risks to Humans", (Vol. 68).

1		1101110110				
	CAS#	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
	1317-65-3	Limestone	n.a.	n.a.	n.a.	n.a.
	57-13-6	Urea multipule about acount a	n.a.	n.a.	n.a.	n.a.
	7447-40-7	Potassium chloride	n.a.	n.a.	n.a.	n.a.
	14808-60-7	Quartz	Known	1	A2	n.a.
	64742-65-0	Mineral Oil	n.a.	n.a.	n.a.	n.a.
	29091-21-2	Prodiamine	n.a.	n.a.	n.a.	n.a.

12. Ecological Information

General Ecological Information:

Environmental: If released to the atmosphere, urea will degrade rapidly in the vapor-phase by reaction with photochemically produced hydroxyl radicals (half-life of 9.6 hr). If released to soil, urea is hydrolyzed to ammonium through soil urease activity (the basis of its use as a fertilizer). The rate of hydrolysis can be fast (24 hr); however, a number a variables (such as increasing the pellet size of the fertilizer) can decrease the degradation rate from days to weeks.

CAS# 57-13-6: Urea:

Lethal concentration to 0% of test organisms., Creek Chub (Semotilus atromaculatus), 16000000. UG/L, 24 H, Mortality, Water temperature: 15.0 C - 21.0 C C, pH: 8.30, Hardness: 98.00 MG/L; Appraisal of a Chemical Waste Problem by Fish Toxicity Tests, Gillette, L.A., D.L. Miller, and H.E. Redman, 1952

CAS# 7447-40-7: Potassium chloride:

LC50, Rainbow Trout (Oncorhynchus mykiss), 1610000. UG/L, 48 H, Mortality, Water temperature: 17.0 C C, pH: 7.70, Hardness: 40.00 MG/L; Toxicity of Candidate Molluscicides to Zebra Mussels (Dreissena polymorpha) and Selected Nontarget Organisms, Waller, D.L., J.J. Rach, W.G. Cope, L.L. Marking, S.W. Fisher, and H. Dabrowska, 1993

Persistence and Degradability:

Prodiamine:

Terrestrial Field Test Half-life: 69 days

(Thurston County Health Dept., 412 Lilly Road NE, Olympia, WA 98506, pesticide review, Prodiamine, 10/10/2014)



Turf Fertilizer + 0.37% Prodiamine (18-0-3)

Page: 7

Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016 **Bioaccumulative Potential:** Prodiamine: Log (Kow) = 4.1 (Thurston County Health Dept., 412 Lilly Road NE,

Olympia, WA 98506, Pesticide Review, Prodiamine, 10/10/2014)

Mobility in Soil: Prodiamine:

Water Solubility: 0.013 mg/L

(Thurston County Health Dept., 412 Lilly Road NE, Olympia, WA 98506, pesticide

review, Prodiamine, 10/10/2014)

13. Disposal Considerations

Waste Disposal Method:

If material cannot be completely used according to label directions, dispose of container

and contents according to this section.

Contact a licensed professional waste disposal service to dispose of this material.

Do not let product enter drains.

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. US EPA guidelines for the classification determination are listed in 40 CFR Parts 261. Additionally, waste generators must consult state and local hazardous waste regulations to ensure complete and accurate classification.

RCRA P-Series: None listed. RCRA U-Series: None listed.

Observe all federal, state, and local environmental regulations.

Packaging: Empty bag may be placed in trash.

14. Transport Information

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class: UN/NA Number:

15. Regulatory Information

EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists					
CAS#	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)	
1317-65-3	Limestone	No	No	No	
57-13-6	Urea	No	No	No	
7447-40-7	Potassium chloride	No	No	No	
14808-60-7	Quartz	No	No	No	
64742-65-0	Mineral Oil	No	No	No	
29091-21-2	Prodiamine	No	No	No	
This materia	I meets the EPA [X] Yes [] No Acute (imr	nediate) Health Ha	azard		

This material meets the EPA [X] Yes [] No Acute (immediate) Health Hazard 'Hazard Categories' defined [X] Yes [] No Chronic (delayed) Health Hazard

for SARA Title III Sections [] Yes [X] No Fire Hazard

311/312 as indicated: [] Yes [X] No Sudden Release of Pressure Hazard

[] Yes [X] No Reactive Hazard

CAS # Hazardous Components (Chemical Name) Other US EPA or State Lists

1317-65-3 Limestone CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL: Yes - 1



Turf Fertilizer + 0.37% Prodiamine (18-0-3)

Page: 8

Printed: 03/09/2017 Revision: 11/07/2016

Supersedes Revision: 07/27/2016

57-13-6 Urea

CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes -

Inventory, 8A CAIR; CA PROP.65: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NJ EHS: No; NY Part 597: No; PA HSL:

No

7447-40-7

Potassium chloride

CAA HAP, ODC: No; CWA NPDES: No; TSCA: Yes -